

# Ecophon Hygiene Clinic™ A

Ecophon Hygiene Clinic<sup>™</sup> A has an exposed grid, suitable for dry areas. The absorbers have low emission levels, ensuring high indoor air quality. They are resistant to mould and bacteria growth and withstand HPV cleaning.





Size, mm	600x600	1200x600
T24	•	•
Thickness (THK)	15	15
Inst. Diagr.	M338	M338







Section of Hygiene Clinic A system

Hygiene Clinic A tile

Hygiene Clinic A system




#### **Acoustic**

## **Sound Absorption:**

Test results according to EN ISO 354. Classification according to EN ISO 11654.

 $lpha_{\mbox{\tiny D}}$ , Practical sound absorption coefficient



- $\cdots$  Hygiene Clinic A 15 mm, 50 mm o.d.s.
- Hygiene Clinic A 15 mm, 200 mm o.d.s.

Frequency Hz

THK	o.d.s. mm	$lpha_{ m p}$ , Practical sound absorption coefficient					$\alpha_{\rm w}$	Sound absorption class	
mm		125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	₩.	Journal absorption class
15	50	0.05	0.35	0.75	1.00	1.00	0.95	0.65	С
15	200	0.45	0.85	0.95	0.85	1.00	1.00	0.95	А

THK mm	o.d.s. mm	NRC	SAA
15	50	0.80	0. <i>7</i> 9
15	200	0.90	0.91



## **Indoor Air Quality**

Certificate / Label	
Eurofins Indoor Air Comfort®	IAC
French VOC	А
Finnish M1	•









#### **Environmental Footprint**

Kg CO2 equiv/m²: 2,6 From family EPD in conformity with ISO  $14025 \ / \ EN \ 15804$ 



## **Circularity**

Minimum post-consumer recycled content	46%
Recyclability	Fully recyclable



#### Fire safety

	Standard	Class
Europe	EN 13501-1	A2-s1,d0

The glass wool core of the tiles is tested and classified as non-combustible according to EN ISO 1182.



## **Humidity Resistance**

Class C, relative humidity 95% and 30°C, according to EN 13964:2014



### Visual appearance

White 500, nearest NCS colour sample S 0500-N, 84% light reflectance.



#### Cleanability

Daily dusting and vacuum cleaning. Weekly wet wiping.



#### **Advanced Cleanability**

Withstand use of hydrogen peroxide vapor.



#### **Mould and Bacterial Resistance**

Standard/Method	
ISO 846 A	0
ISO 846 C	0



#### **Clean Room**

Standard		
ISO 14644	Particle cleanliness class	ISO 4
NF S 90-351	Microbiological class	M1/area 4
NF S 90-351	Particle elimination kinetics	CP(0,5) 5



#### Accessibility

The tiles are easily demountable. Minimum demounting depth according to installation diagrams.



## Installation

Installed according to installation diagrams, installation guides and drawing aid. For information regarding minimum overall depth of system see quantity specification.



#### System weight

The weight of the system (including suspension grid) should be approximately 2,5 kg/m².




## **Mechanical properties**

See table about Max live load and Min load bearing capacity and Functional demands, Mechanical properties at www.ecophon.com.

## CE




Ecophon ceiling systems are CE marked according to the European harmonized standard EN 13964:2014. CE marked construction products are covered by a Declaration of Performance (DOP) which enables customers and users to easily compare performance of products available on the European market.




## © Ecophon Group

## QUANTITY SPECIFICATION (EXCL. WASTAGE)


		Size, mm	
		600×600	1200×600
1 Hygiene Clinic	A	2,8/m²	1,4/m²
2 Connect T24 M	1ain Runner, installed at 1200 mm centres (max distance from wall 300 mm)	0,9m/m²	0,9m/m²
Connect T24 C	ross Tee, L=1200 mm, installed at 600 mm centres	1,7m/m²	1,7m/m²
4 Connect T24 C	ross Tee, L=600 mm	0,9m/m²	-
Connect Adjust	able Hanger, installed at 1200 mm centres (max. distance from wall 600 mm)	0,7/m²	0,7/m²
Connect Hange	er Clip (not to be used in swimming hall environments)	0,7/m²	0,7/m²
For direct install	ation: Connect Direct Bracket, installed at 1 200 mm centres	0,7/m²	0,7/m²
3 Connect Angle	Trim, fixed at 300 mm centres	as required	as required
9 Connect Shado	w-line Trim, fixed at 300 mm centres	as required	as required
$\Delta$ Min. overall $\alpha$	depth of system, with adjustable hanger: 100 mm, with direct bracket: 50 mm		-
δ Min. demoun	ling depth: 120 mm		



See Quantity Specification



Suspension with Connect Adjustable Hanger and Connect Hanger Clip



Suspension with Connect Direct Bracket

(00 (00 50 1(0
600x600 50 160
1200x600 50 160

Live load/load bearing capacity



# Ecophon Hygiene Clinic<sup>TM</sup> E

Ecophon Hygiene Clinic<sup>TM</sup> E has a recessed visible grid and a tegular edge design, suitable for dry areas. The absorbers have low emission levels, ensuring high indoor air quality. They are resistant to mould and bacteria growth and withstand HPV cleaning.





Size, mm		
	600x600	1200x600
T24	•	•
Thickness (THK)	15	15
Inst. Diagr.	M339	M339







Section of Hygiene Clinic E system



Hygiene Clinic E system




#### **Acoustic**

## **Sound Absorption:**

Test results according to EN ISO 354. Classification according to EN ISO 11654, and the single value ratings for Noise Reduction Coefficient, NRC and Sound Absorption Average, SAA according to ASTM C 423.

#### $lpha_{\scriptscriptstyle D}$ , Practical sound absorption coefficient



Frequency Hz

- ···· Hygiene Clinic E 15 mm, 60 mm o.d.s.
- Hygiene Clinic E 15 mm, 200 mm o.d.s.

THK mm	o.d.s. mm	$lpha_{p'}$ Practical sound absorption coefficient					$\alpha_{\scriptscriptstyle{ ext{w}}}$	Sound absorption class	
		125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	o. <sub>W</sub>	ooma absorphion class
15	60	0.10	0.45	0.85	1.00	1.00	0.95	0.75	С
15	200	0.40	0.85	1.00	0.90	1.00	1.00	1.00	А



## **Indoor Air Quality**

Certificate / Label	
Eurofins Indoor Air Comfort®	IAC
French VOC	Α
Finnish M1	•









## **Environmental Footprint**

Kg CO  $_2$  equiv/m  $^2\!\!:$  2,2 From family EPD in conformity with ISO 14025 / EN 15804



#### **Circularity**

Minimum post-consumer recycled content	45%
Recyclability	Fully recyclable



## Fire safety

Country	Standard	Class
Europe	EN 13501-1	A2-s1,d0

The glass wool core of the tiles is tested and classified as non-combustible according to EN ISO 1182.



#### **Humidity Resistance**

Class C, relative humidity 95% and 30°C, according to EN 13964:2014



#### Visual appearance

White 500, nearest NCS colour sample S 0500-N, 84% light reflectance.



#### Cleanability

Daily dusting and vacuum cleaning. Weekly wet wiping.



#### **Advanced Cleanability**

Withstand use of hydrogen peroxide vapor.



#### **Mould and Bacterial Resistance**

Standard/Method	
ISO 846 A	0
ISO 846 C	0



#### **Clean Room**

Standard		Class
ISO 14644	Particle cleanliness class	ISO 4
NF S 90-351	Microbiological class	M1/area 4
NF S 90-351	Particle elimination kinetics	CP(0,5) 5



#### Accessibility

The tiles are easily demountable. Minimum demounting depth according to installation diagrams.



#### Installation

Installed according to installation diagrams, installation guides and drawing aid. For information regarding minimum overall depth of system see quantity specification.



#### System weight

The weight of the system (including suspension grid) should be approximately 2,5 kg/m<sup>2</sup>.




## **Mechanical properties**

See table about Max live load and Min load bearing capacity and Functional demands, Mechanical properties at www.ecophon.com.



#### CE


Ecophon ceiling systems are CE marked according to the European harmonized standard EN13964:2014. CE marked construction products are covered by a Declaration of Performance (DOP) which enables customers and users to easily compare performance of products available on the European market.




## © Ecophon Group

## QUANTITY SPECIFICATION (EXCL. WASTAGE)


		Size, mm	
		600×600	1200×600
1	Hygiene Clinic E	2,8/m²	1,4/m²
2	Connect T24 Main Runner, installed at 1200 mm centres (max distance from wall 300 mm)	0,9m/m²	0,9m/m²
3	Connect T24 Cross Tee, L=1200 mm, installed at 600 mm centres	1,7m/m²	1,7m/m²
4	Connect T24 Cross Tee, L=600 mm	0,9m/m²	-
5	Connect Adjustable Hanger, installed at 1200 mm centres (max. distance from wall 600 mm)	0,7/m²	0,7/m²
5	Connect Hanger Clip (not to be used in swimming hall environments)	0,7/m²	0,7/m²
7	For direct installation: Connect Direct Bracket, installed at 1200 mm centres	0,7/m²	0,7/m²
3	Connect Angle Trim, fixed at 300 mm centres	as required	as required
9	Connect Shadow-line Trim, fixed at 300 mm centres	as required	as required
10	Connect E-plug (for Connect Shadow-line Trim)	as required	as required
	$\Delta$ Min. overall depth of system, with adjustable hanger: 110 mm, with direct bracket: 60 mm	-	-
	$\delta$ Min. demounting depth: T15: 110 mm, T24: 90 mm	-	



See Quantity Specification



Straight cut and T-profile on top of Connect Shadow-line Trim



Connect E-plug

Size, mm 600x600	Max live load (N) 50	Min load bearing capacity (N) 160
1200x600	50	160

Live load/load bearing capacity



# Ecophon Hygiene Meditec™


A

Ecophon Hygiene Meditec<sup>TM</sup> A has an exposed grid, suitable for dry areas where disinfection and/or cleaning is required on a regular basis. The surface is resistant to mould and bacteria growth and common detergents and disinfectants. The absorbers have low emission levels, ensuring high indoor air quality.





Size, mm	600x600	1200x600
T24	•	•
Thickness (THK)	15	15
Inst. Diagr.	M255	M255



Hygiene Meditec A tile



Hygiene Meditec A C1 section with Connect Universal clip



Hygiene Meditec A C1 system




#### **Acoustic**

## **Sound Absorption:**

Test results according to EN ISO 354. Classification according to EN ISO 11654.

#### $lpha_{\mbox{\tiny D}}$ , Practical sound absorption coefficient



Frequency Hz

- ···· Hygiene Meditec A 15 mm, 50 mm o.d.s.
- Hygiene Meditec A 15 mm, 200 mm o.d.s.

THK	o.d.s. mm		$lpha_{p'}$ Pr	actical sound	d absorption c	oefficient		α <sub>w</sub> Sound absorption class	
mm	O.d.s. IIIIII	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	o. <sub>w</sub>	Sound absorption class
15	50	0.10	0.40	0.85	1.00	0.95	0.85	0.70	С
15	200	0.45	0.90	0.95	0.85	0.95	0.90	0.95	А

THK mm	o.d.s. mm	NRC	SAA
15	50	0.80	0.83
15	400	0.85	0.89



## **Indoor Air Quality**

Certificate / Label	
Eurofins Indoor Air Comfort®	IAC
French VOC	А
Finnish M1	•









#### **Environmental Footprint**

Kg CO2 equiv/m²: 2,7 From family EPD in conformity with ISO 14025 / EN 15804



## **Circularity**

Minimum post-consumer recycled content	44%
Recyclability	Fully recyclable



#### Fire safety

	Standard	Class
Europe	EN 13501-1	A2-s1,d0

The glass wool core of the tiles is tested and classified as non-combustible according to EN ISO 1182.



## **Humidity Resistance**

Class C, relative humidity 95% and 30°C, according to EN 13964:2014



## Visual appearance

White 500, nearest NCS colour sample S 0500-N, 84% light reflectance.



## Cleanability

Daily dusting and vacuum cleaning. Weekly wet wiping.



#### **Advanced Cleanability**

Withstand use of hydrogen peroxide vapor.



#### **Surface Endurance**

Product tested according to ISO 11998, and withstand 200 cycles.



## **Chemical resistance/Disinfection**

Ethanol	Ethanol	70%
Chlorine	Sodium Hypochlorite solution	2,5%
Virkon S	Dipotassium peroxodisulphate; Sulphamidic acid	1%
Isopropanol	Isopropyl Alcohol	70%

Tested according to ISO 11998 and withstand the following chemicals or disinfectants.



#### **Mould and Bacterial Resistance**

Standard/Method	
ISO 846 A	0
ISO 846 C	0



#### **Clean Room**

Standard	Standard/Method	Class
ISO 14644	Particle cleanliness class	ISO 4
NF S 90-351	Microbiological class	M1/area 4
NF S 90-351	Particle elimination kinetics	CP(0,5) 5



#### Accessibility

The tiles are demountable. Minimum demounting depth according to installation diagram. The tiles are secured using clips to allow for effective cleaning. The clips are easily removable from above the ceiling. An easy-to-open Connect Inspection hatch is available to simplify access to the ceiling void.



#### Installation

Installed according to installation diagrams, installation guides and drawing aid. Cut panels must be sealed with Connect Edge sealant. Penetrations must be sealed with a suitable sealant.



## **Mechanical properties**

See table about Max live load and Min load bearing capacity and Functional demands, Mechanical properties at www.ecophon.com.




#### System weight

The weight of the system (including suspension grid) should be approximately  $2,5~{\rm kg/m^2}$ .



#### CE


Ecophon ceiling systems are CE marked according to the European harmonized standard EN 13964:2014. CE marked construction products are covered by a Declaration of Performance (DOP) which enables customers and users to easily compare performance of products available on the European market.




## © Ecophon Group

## QUANTITY SPECIFICATION (EXCL. WASTAGE)


		Size, mm	
		600×600	1200×600
1	Hygiene Meditec A	2,8/m²	1,4/m²
2	Connect T24 Main Runner, installed at 1200 mm centres (max distance from wall 300 mm)	0,9m/m²	0,9m/m²
3	Connect T24 Cross Tee, L=1200 mm, installed at 600 mm centres	1,7m/m²	1,7m/m²
4	Connect T24 Cross Tee, L=600 mm	0,9m/m²	-
5	Connect Adjustable Hanger, installed at 1200 mm centres (max. distance from wall 600 mm)	0,7/m²	0,7/m²
5	Connect Hanger Clip (not to be used in swimming hall environments)	0,7/m²	0,7/m²
7	Connect Universal Clip	11/m²	7/m²
8	Alt. Connect Angle Trim, fixed c300	as required	as required
9	Alt. Connect Shadow-line Trim, fixed c300	as required	as required
10	Connect Inspection Hatch	as required	as required
11	For direct installation: Connect Direct Bracket, installed at 1200 mm centres	0,7/m²	0,7/m²
	$\Delta$ Min. overall depth of system, with adjustable hanger and clip: 150 mm, with direct fixing without clip: 50 mm.		-
	$\delta$ Min. demounting depth: With clip: 150 mm. Without clip: 100 mm.		







Arrangement of clips



Suspension with Connect Direct Bracket

Size, mm 600x600	Max live load (N) 50	Min load bearing capacity (N) 160
1200x600	50	160

Live load/load bearing capacity




## Ecophon Hygiene Meditec™ E

Ecophon Hygiene Meditec<sup>TM</sup> E has a recessed visible grid and a tegular edge design, suitable for dry areas where disinfection and/or cleaning is required on a regular basis. The surface is resistant to mould and bacteria growth and to common detergents and disinfectants.





Size, mm	600x600	1200x600
T24	•	•
Thickness (THK)	15	15
Inst. Diagr.	M256	M256



Hygiene Meditec E tile



Hygiene Meditec E C1 section with Connect Universal clip



Hygiene Meditec E C1 system




#### **Acoustic**

## **Sound Absorption:**

Test results according to EN ISO 354. Classification according to EN ISO 11654.

#### $lpha_{\mbox{\tiny D}}$ , Practical sound absorption coefficient



Frequency Hz

- ···· Hygiene Meditec E 15 mm, 60 mm o.d.s.
- Hygiene Meditec E 15 mm, 200 mm o.d.s.

THK	o.d.s. mm	$lpha_{ m p}$ , Practical sound absorption coefficient					$\alpha_{\scriptscriptstyle  ext{ iny}}$	Sound absorption class	
mm	O.d.s. IIIIII	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	₩.	Sound absorption class
15	60	0.10	0.40	0.85	1.00	1.00	1.00	0.70	С
15	200	0.45	0.85	1.00	0.90	1.00	1.00	1.00	А

THK mm	o.d.s. mm	NRC	SAA
15	60	0.90	0.87
15	400	0.85	0.89



## **Indoor Air Quality**

Certificate / Label	
Eurofins Indoor Air Comfort®	IAC
French VOC	А
Finnish M1	•









#### **Environmental Footprint**

Kg CO2 equiv/m²: 2,4  $\,$  From family EPD in conformity with ISO 14025 / EN 15804  $\,$ 



## **Circularity**

Minimum post-consumer recycled content	43%
Recyclability	Fully recyclable



#### Fire safety

	Standard	Class
Europe	EN 13501-1	A2-s1,d0

The glass wool core of the tiles is tested and classified as non-combustible according to EN ISO 1182.



## **Humidity Resistance**

Class C, relative humidity 95% and 30  $^{\circ}$  C, according to EN 13964:2014



#### Visual appearance

White 500, nearest NCS colour sample S 0500-N, 84% light reflectance.



## Cleanability

Daily dusting and vacuum cleaning. Weekly wet wiping.



## **Advanced Cleanability**

Withstand use of hydrogen peroxide vapor.



#### **Mould and Bacterial Resistance**

Standard/Method	
ISO 846 A	0
ISO 846 C	0



### **Surface Endurance**

Product tested according to ISO 11998, and withstand 200 cycles.



## **Chemical resistance/Disinfection**

Chemical		Concentration
Ethanol	Ethanol	70%
Chlorine	Sodium Hypochlorite solution	2,5%
Virkon S	Dipotassium peroxodisulphate; Sulphamidic acid	1%
Isopropanol	Isopropyl Alcohol	70%

Tested according to ISO 11998 and withstand the following chemicals or disinfectants.



#### **Clean Room**

Standard	Standard/Method	Class
ISO 14644	Particle cleanliness class	ISO 4
NF S 90-351	Microbiological class	M1/area 4
NF S 90-351	Particle elimination kinetics	CP(0,5) 5



#### Accessibility

The tiles are demountable. Minimum demounting depth according to installation diagram. The tiles are secured using clips to allow for effective cleaning. The clips are easily removable from above the ceiling. An easy-to-open Connect Inspection hatch is available to simplify access to the ceiling void.



#### Installation

Installed according to installation diagrams, installation guides and drawing aid. Cut panels must be sealed with Connect Edge sealant.



## System weight

The weight of the system (including suspension grid) should be approximately 2,5 kg/m².




#### **Mechanical properties**

See table about Max live load and Min load bearing capacity and Functional demands, Mechanical properties at www.ecophon.com.



#### CE


Ecophon ceiling systems are CE marked according to the European harmonized standard EN 13964:2014. CE marked construction products are covered by a Declaration of Performance (DOP) which enables customers and users to easily compare performance of products available on the European market.




## © Ecophon Group

## QUANTITY SPECIFICATION (EXCL. WASTAGE)


		Size, mm	
		600×600	1200×600
1	Hygiene Meditec E	2,8/m²	1,4/m²
2	Connect T24 Main Runner, installed at 1200 mm centres (max distance from wall 300 mm)	0,9m/m²	0,9m/m²
3	Connect T24 Cross Tee, L=1200 mm, installed at 600 mm centres	1,7m/m²	1,7m/m²
4	Connect T24 Cross Tee, L=600 mm	0,9m/m²	-
5	Connect Adjustable Hanger, installed at 1200 mm centres (max. distance from wall 600 mm)	0,7/m²	0,7/m²
5	Connect Hanger Clip (not to be used in swimming hall environments)	0,7/m²	0,7/m²
7	Connect Universal Clip	11/m²	$7/\mathrm{m}^2$
3	Alt. Connect Angle Trim, fixed c300	as required	as required
>	Alt. Connect Shadow-line Trim, fixed c300	as required	as required
10	Connect Inspection Hatch	as required	as required
11	For direct installation: Connect Direct Bracket, installed at 1200 mm centres	0,7/m²	0,7/m²
12	Connect E-plug (for Connect Shadow-line Trim)	as required	as required
	$\Delta$ Min. overall depth of system, with adjustable hanger and clip: 160 mm, with direct fixing wituout clip: 60 mm.	-	
	$\delta$ Min. demounting depth: With clip: 160 mm. Without clip: 110 mm.		
_			



See Quantity Specification



Straight cut and T-profile on top of Connect Shadow-line Trim



Connect E-plug

Size, mm 600x600	Max live load (N) 50	Min load bearing capacity (N) 160
1200x600	50	160

Live load/load bearing capacity



## Ecophon Hygiene Protec™ A

Ecophon Hygiene Protec<sup>TM</sup> A has an exposed grid and are particle-repellent for clean rooms, where disinfection and/or cleaning is required on a regular basis. The fully sealed absorbers have low emission levels, ensuring high indoor air quality. They are resistant to mould and bacteria growth.





Size, mm	600x600	1200x600
T24	•	•
Thickness (THK)	20	20
Inst. Diagr.	M257	M257







Hygiene Protec A C1 section with Connect Hygiene clip 20



Hygiene Protec A system




#### **Acoustic**

## **Sound Absorption:**

Test results according to EN ISO 354. Classification according to EN ISO 11654, and the single value ratings for Noise Reduction Coefficient, NRC and Sound Absorption Average, SAA according to ASTM C 423.

 $lpha_{\scriptscriptstyle D}$ , Practical sound absorption coefficient



- Hygiene Protec A 20 mm, 200 mm o.d.s.

Frequency Hz

THK	o.d.s. mm		$lpha_{p'}$ Pr	actical sound	d absorption c	coefficient		OL,	Sound absorption class
mm	O.d.s. mini	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz 4000 Hz	o.w	Sound absorption class	
20	200	0.55	0.80	0.85	0.90	1.00	0.95	0.90	А

THK mm	o.d.s. mm	NRC	SAA
20	200	0.90	0.89
20	400	0.85	0.84



## **Indoor Air Quality**

Certificate / Label	
Eurofins Indoor Air Comfort®	IAC
French VOC	А
Finnish M1	•









## **Environmental Footprint**

Kg CO  $_2$  equiv/m  $^2\!\!: 2,\!21$  From family EPD in conformity with ISO 14025 / EN 15804



## **Circularity**

Minimum post-consumer recycled content	44%
Recyclability	Fully recyclable



#### Fire safety

	Standard	Class
Europe	EN 13501-1	A2-s1,d0

The glass wool core of the tiles is tested and classified as non-combustible according to EN ISO 1182.



## **Humidity Resistance**

Class C, relative humidity 95% and 30°C, according to EN 13964:2014



## Visual appearance

White 500, nearest NCS colour sample S 0500-N, 84% light reflectance.



## Cleanability

Daily dusting and vacuum cleaning. Weekly wet wiping.



#### **Advanced Cleanability**

Withstand use of hydrogen peroxide vapor.



#### **Surface Endurance**

Product tested according to ISO 11998, and withstand 200 cycles.



## **Chemical resistance/Disinfection**

Ethanol	Ethanol	70%
Chlorine	Sodium Hypochlorite solution	2,5%
Virkon S	Dipotassium peroxodisulphate; Sulphamidic acid	1%
Isopropanol	Isopropyl Alcohol	70%

Tested according to ISO 11998 and withstand the following chemicals or disinfectants.



## **Mould and Bacterial Resistance**

Standard/Method	
ISO 846 A	0
ISO 846 C	0



## **Clean Room**

ISO 14644	Particle cleanliness class	ISO 3
NF S 90-351	Microbiological class	M1/area 4
NF S 90-351	Particle elimination kinetics	CP(0,5) 1



## System weight

The weight of the system (including suspension grid) should be approximately 3-4 kg/m<sup>2</sup>.



#### Installation

Installed according to installation diagrams, installation guides and drawing aid. Cut panels must be sealed with Connect Edge sealant. Penetrations must be sealed with a suitable sealant.



#### Accessibility

The tiles are demountable. Minimum demounting depth according to installation diagram. The tiles are secured using clips to allow for effective cleaning. The clips are easily removable from above the ceiling. An easy-to-open Connect Inspection hatch is available to simplify access to the ceiling void.




## **Mechanical properties**

See table about Max live load and Min load bearing capacity and Functional demands, Mechanical properties at www.ecophon.com.



#### CE


Ecophon ceiling systems are CE marked according to the European harmonized standard EN13964:2014. CE marked construction products are covered by a Declaration of Performance (DOP) which enables customers and users to easily compare performance of products available on the European market.




## © Ecophon Group

## QUANTITY SPECIFICATION (EXCL. WASTAGE)


		Size, mm	
		600×600	1200x600
1	Hygiene Protec A	2,8/m²	1,4/m²
2	Connect T24 Main Runner, installed at 1200 mm centres (max distance from wall 300 mm)	0,9m/m²	0,9m/m²
3	Connect T24 Cross Tee, L=1200 mm, installed at 600 mm centres	1,7m/m²	1,7m/m²
4	Connect T24 Cross Tee, L=600 mm	0,9m/m²	-
5	Connect Adjustable Hanger, installed at 1200 mm centres (max. distance from wall 600 mm)	0,7/m²	0,7/m²
5	Connect Hanger Clip (not to be used in swimming hall environments)	0,7/m²	0,7/m²
7	Connect Channel Trim, fixed c300	as required	as required
3	Connect Hygiene Clip 20	11/m²	7/m²
7	Connect Inspection Hatch	as required	as required
	$\Delta$ Min. overall depth of system: 150 mm	-	-
	δ Min. demounting depth: 150 mm		







Arrangement of clips



Connect Hygiene Clips for keeping tiles in position

Size, mm 600x600	Max live load (N) 50	Min load bearing capacity (N) 160
1200x600	50	160
1200x600	50	160

Live load/load bearing capacity



# Ecophon Hygiene Protec™ Ds

Ecophon Hygiene Protec™ Ds has a concealed grid and are particle repellent for clean rooms, where disinfection and/or cleaning is required on a regular basis. The fully cealed absorbers have low emission levels, ensuring high indoor air quality. They are resistant to mould and bacteria growth.





Size, mm	600x600	1200x600
T24	•	•
Thickness (THK)	20	20
Inst. Diagr.	M468	M468



Hygiene Protec Ds tile



Connect Hold Down Clip Ds



Sealed junction with wall



Hygiene Protec Ds C1 system




#### **Acoustic**

## **Sound Absorption:**

Test results according to EN ISO 354. Classification according to EN ISO 11654.

 $lpha_{\scriptscriptstyle D}$ , Practical sound absorption coefficient



Hygiene Protec Ds 20 mm, 200 mm o.d.s.

Frequency Hz

THK	o.d.s. mm	$lpha_{ m p'}$ Practical sound absorption coefficient					α,,,	Sound absorption class	
mm	0.0.3. 111111	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	o.w	Sound absorption class
20	200	0.55	0.80	0.80	0.85	0.95	0.90	0.85	В



## **Indoor Air Quality**

Eurofins Indoor Air Comfort®	IAC
French VOC	Α
Finnish M1	•









## **Environmental Footprint**

Kg CO  $_2$  equiv/m  $^2\!:$  7,1 From family EPD in conformity with ISO 14025 / EN 15804



### Circularity

Minimum post-consumer recycled content	47%
Recyclability	Fully recyclable



#### Fire safety

Country	Standard	Class
Europe	EN 13501-1	A2-s1,d0

The glass wool core of the tiles is tested and classified as non-combustible according to EN ISO 1182.



## **Humidity Resistance**

Class C, relative humidity 95% and 30°C, according to EN 13964:2014



#### Visual appearance

White 500, nearest NCS colour sample S 0500-N, 84% light reflectance.



## Cleanability

Daily dusting and vacuum cleaning. Weekly wet wiping.



#### **Advanced Cleanability**

Withstand use of hydrogen peroxide vapor.



#### **Surface Endurance**

Product tested according to ISO 11998, and withstand 200 cycles.



#### **Chemical resistance/Disinfection**

Chemical		
Ethanol	Ethanol	70%
Chlorine	Sodium Hypochlorite solution	2,5%
Virkon S	Dipotassium peroxodisulphate; Sulphamidic acid	1%
Isopropanol	Isopropyl Alcohol	70%

Tested according to ISO 11998 and withstand the following chemicals or disinfectants.



#### **Mould and Bacterial Resistance**

Standard/Method	
ISO 846 A	0
ISO 846 C	0



#### **Clean Room**

Standard		
ISO 14644	Particle cleanliness class	ISO 3
NF S 90-351	Microbiological class	M1/area 4
NF S 90-351	Particle elimination kinetics	CP(0,5) 1



#### Accessibility

The tiles are demountable.



#### Installation

Installed according to installation diagrams, installation guides and drawing aid. Cut panels must be sealed with Connect Edge sealant.



## System weight

The weight of the system (including suspension grid) should be approximately  $3-4\ kg/m^2$ .




## **Mechanical properties**

See table about Max live load and Min load bearing capacity and Functional demands, Mechanical properties at www.ecophon.com.



## CE


Ecophon ceiling systems are CE marked according to the European harmonized standard EN 13964:2014. CE marked construction products are covered by a Declaration of Performance (DOP) which enables customers and users to easily compare performance of products available on the European market.





© Ecophon Group

## QUANTITY SPECIFICATION (EXCL. WASTAGE)

	Size, mm	
	600×600	1200×600
1 Hygiene Protec Ds	2,8/m²	1,4/m²
2 Connect T24 Main Runner HD, installed at 600 mm centres	1,7m/m²	1,7m/m²
3 Connect Wall Bracket for T-profiles	1/suspended row of Main runner	
4 Connect Space Bar, installed at 1,500 mm centres (max. distance from wall 300 mm)	0,7m/m²	0,7m/m²
5 Connect Wall Bracket, L=700 mm, for Connect Space Bar	1/row of Space bar	
6 Connect T24 Cross Tee, L=600 mm	2/row of Main runner	
7 Connect Space Bar Winch, installed one per joint Connect Main Runner/Connect Space Bar	1,4/m²	1,4/m²
8 Connect Adjustable Hanger, installed at 1200 mm centres (max. distance from wall 600 mm)	0,7/m²	0,7/m²
9 Connect Hanger Clip (not to be used in swimming hall environments)	0,7/m²	0,7/m²
10 Alt. Connect Frieze Trim, fixed c300 mm	as required	as required
11 Connect Frieze Bracket, installed at 500 mm centre. Minimum free depth above tile 150 mm.	2/cut tile with one bearing edge	3/cut tile with one bearing edge
12 Connect Hold Down Clip Ds	2/tile, 50-100 mm from corners	3/tile, 50-100 mm from corners
13 Joint sealant (not supplied by Ecophon)	as required	as required
$\Delta$ Min. overall depth of system: 170 mm		
$\delta$ Min. demounting depth: 30 mm		







600×600	Max live load (N) 50	Min load bearing capacity (N) 160
1200x600	50	160

Arrangement of clips Demounting of tile from below

Live load/load bearing capacity



## Ecophon Hygiene Protec™ Air

A

Ecophon Hygiene Protec™ A has an exposed grid and are particle repellent for clean rooms, where disinfection and/or cleaning is required on a regular basis. Suitable for areas requiring air-pressure control. They are resistant to mould and bacteria growth and withstand HPV cleaning.





Size, mm				
	600x600	600x600	1200x600	1200x600
T24	•	•	•	•
Thickness (THK)	20	40	20	40
Inst. Diagr.	M469	M469	M469	M469



Hygiene Protec Air A tile



Hygiene Protec Air A C1 section with Connect Hygiene Clip 20



Hygiene Protec Air A system




#### Acoustic

## **Sound Absorption:**

Test results according to EN ISO 354. Classification according to EN ISO 11654.

#### $lpha_{\scriptscriptstyle D}$ , Practical sound absorption coefficient



Frequency Hz

- Hygiene Protec Air A 20 mm, 200 mm o.d.s.
- ···· Hygiene Protec Air A 40 mm, 200 mm o.d.s.

THK	o.d.s. mm	$lpha_{ m p}$ , Practical sound absorption coefficient						$\alpha_{\scriptscriptstyle{W}}$	Sound absorption class
mm	O.G.3. IIIII	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	o.w	Sound absorption class
20	200	0.50	0.60	0.70	0.85	1.00	0.90	0.80	В
40	200	0.55	0.80	0.80	1.00	1.00	0.95	0.90	А



## **Indoor Air Quality**

Certificate / Label	
Eurofins Indoor Air Comfort®	IAC
French VOC	А
Finnish M1	•









#### **Environmental Footprint**

Kg CO2 equiv/m²: 2,21 From family EPD in conformity with ISO 14025 / EN 15804



## **Circularity**

Minimum post-consumer recycled content	38%
Recyclability	Fully recyclable



#### Fire safety

Country	Standard	Class
Europe	EN 13501-1	A2-s1,d0

The glass wool core of the tiles is tested and classified as non-combustible according to EN ISO 1182.



#### **Humidity Resistance**

Class C, relative humidity 95% and 30°C, according to EN 13964:2014



## Visual appearance

White 500, nearest NCS colour sample S 0500-N, 84% light reflectance.



#### Cleanability

Daily dusting and vacuum cleaning. Weekly wet wiping.



## **Advanced Cleanability**

Withstand use of hydrogen peroxide vapor.



#### **Surface Endurance**

Product tested according to ISO 11998, and withstand 200 cycles.



## **Chemical resistance/Disinfection**

Chemical		
Ethanol	Ethanol	70%
Chlorine	Sodium Hypochlorite solution	2,5%
Virkon S	Dipotassium peroxodisulphate; Sulphamidic acid	1%
Isopropanol	Isopropyl Alcohol	70%

Tested according to ISO 11998 and withstand the following chemicals or disinfectants.



## **Mould and Bacterial Resistance**

Standard/Method	
ISO 846 A	0
ISO 846 C	0



## **Clean Room**

Standard	Standard/Method	Class
ISO 14644	Particle cleanliness class	ISO 3
NF S 90-351	Microbiological class	M1/area 4
NF S 90-351	Particle elimination kinetics	CP(0,5) 1



## **Air permeability**

When mounted according to installation diagram M469: Hygiene Protec Air A: 20 mm:  $0.3 \text{ m}^3/(\text{h} \times \text{m}^2 \times \text{Pa})$  Hygiene Protec Air A: 40 mm:  $0.2 \text{ m}^3/(\text{h} \times \text{m}^2 \times \text{Pa})$ 



#### Accessibility

The tiles are demountable. Minimum demounting depth according to installation diagram. The tiles are secured using clips to allow for effective cleaning. The clips are easily removable from above the ceiling. An easy-to-open Connect Inspection hatch is available to simplify access to the ceiling void.



#### Installation

Installed according to installation diagrams, installation guides and drawing aid. Cut panels must be sealed with Connect Edge sealant.



### System weight

The weight of the system (including suspension grid) should be approximately  $3-4~kg/m^2$  for 20mm thickness and  $4.5~kg/m^2$  for 40mm thickness.




## **Mechanical properties**

See table about Max live load and Min load bearing capacity and Functional demands, Mechanical properties at www.ecophon.com.



#### CE


Ecophon ceiling systems are CE marked according to the European harmonized standard EN13964:2014. CE marked construction products are covered by a Declaration of Performance (DOP) which enables customers and users to easily compare performance of products available on the European market.




© Ecophon Group

## QUANTITY SPECIFICATION (EXCL. WASTAGE)


		Size, mm			
		600×600	600×600	1200×600	1200×600
1	Hygiene Protec Air A	2,8/m²	2,8/m²	1,4/m²	1,4/m²
2	Connect T24 Main Runner, installed at 1200 mm centres (max distance from wall 300 mm)	0,9m/m²	0,9m/m <sup>2</sup>	0,9m/m²	0,9m/m²
3	Connect T24 Cross Tee, L=1200 mm, installed at 600 mm centres	1,7m/m²	1,7m/m²	1,7m/m²	1,7m/m²
4	Connect T24 Cross Tee, L=600 mm	0,9m/m²	0,9m/m <sup>2</sup>	-	-
5	Connect Adjustable Hanger, installed at 1200 mm centres (max. distance from wall 600 mm)	0,7/m²	0,7/m²	0,7/m²	0,7/m²
6	Connect Hanger Clip (not to be used in swimming hall environments)	0,7/m²	0,7/m²	0,7/m²	0,7/m²
7	Connect Inspection Hatch C3	as required	as required	as required	as required
8	Connect Hygiene Clip 20	11/m²	11/m²	7/m²	7/m²
9	Connect Hygiene Clip 40	11/m²	11/m²	7/m²	7/m²
10	Connect Channel Trim, fixed c300 (for 20 mm thickness)	as required	as required	as required	as required
11	Connect Channel Trim, fixed c300 (for 40 mm thickness)	as required	as required	as required	as required
	$\Delta$ Min. overall depth of system: 150 mm	-	-		-
	$\delta$ Min. demounting depth 20 mm: 150 mm	-	-		-
	$\delta$ Min. demounting depth 40 mm: 170 mm	-		-	







Arrangement of clips



Clip for keeping tiles in place for 40 mm tiles

Size, mm	Max live load (N)	Min load bearing capacity (N)
600x600	50	160
600x600	50	160
1200x600	50	160
1200x600	50	160

Live load/load bearing capacity




## Ecophon Hygiene Performance™ A

Ecophon Hygiene Performance<sup>TM</sup> A is suitable for humid areas and withstands advanced cleaning, such as steam and high/low pressure washing on a regular basis. The surface is resistant to common detergents and disinfectants.





Size, mm	400 400	400 400		1000 / 00
	600×600	600x600	1200x600	1200x600
T24	•	•	•	•
Thickness (THK)	20	40	20	40
Inst. Diagr.	M395C3, M266C4	M395C3, M266C4	M395C3, M266C4	M395C3, M266C4



Hygiene Performance A tile



Hygiene Performance A C3 section with Connect Hygiene clip 20



Hygiene Performance A system




#### **Acoustic**

# **Sound Absorption:**

Test results according to EN ISO 354. Classification according to EN ISO 11654.

 $lpha_{\mbox{\tiny D}}$ , Practical sound absorption coefficient



Frequency Hz

- Hygiene Performance A 20 mm, 200 mm o.d.s.
- --- Hygiene Performance A 40 mm, 200 mm o.d.s.

THK	ods mm	α <sub>p</sub> , Practical sound		d absorption c	absorption coefficient			Sound absorption class	
mm	O.G.3. IIIII	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	$\alpha^{\wedge}$	Sound absorption class
20	200	0.50	0.85	0.95	0.90	0.95	0.95	0.95	А
40	200	0.60	0.90	0.95	1.00	1.00	0.90	1.00	А



# **Indoor Air Quality**

Certificate / Label	
Eurofins Indoor Air Comfort®	IAC
French VOC	А
Finnish M1	•









# **Environmental Footprint**

Kg CO2 equiv/m²			
Hygiene Performance A 20 mm	2,4 (Hygiene family EPD in conformity with ISO 14025 / EN 15804)		
Hygiene Performance A 40 mm	4,2 (Hygiene family EPD in conformity with ISO 14025 / EN 15804)		



# **Circularity**

Minimum post-consumer recycled content	47%
Recyclability	Fully recyclable



#### Fire safety

	Standard	Class
Europe	EN 13501-1	A2-s1,d0

The glass wool core of the tiles is tested and classified as non-combustible according to EN ISO 1182.



# **Humidity Resistance**

Class C, relative humidity 95% and 30°C, according to EN 13964:2014



# Visual appearance

White 500, nearest NCS colour sample S 0500-N, 84% light reflectance.



# Cleanability

Daily dusting and vacuum cleaning. Weekly wet wiping.



#### **Advanced Cleanability**

High and low pressure cleaning with water and steam cleaning. Withstand use of hydrogen peroxide vapor.



#### **Surface Endurance**

Product tested according to ISO 11998, and withstand 200 cycles.



# **Chemical resistance/Disinfection**

Chemical		Concentration
Actichlor plus	NaDCC (Sodium Dichloroisocyanurate)	1%
LifeClean	Chlorine dioxide	Undiluted
Etanol	Etanol	70%
Chlorine	Chlorine Sodium Hypochlorite solution	
Virkon S	Dipotassium peroxodisulphate; Sulphamidic acid	1%
Isopropanol	Isopropyl Alcohol	70%
Oxivir Excel	Hydrogen peroxide	0,5%
Sumabac D10	Quaternary ammonium compound, Sodium carbonate	1%
Suredis VT1	n-(3-aminopropyl)-n- dodecylpropan-1,3-diamin	1%
Enduro Chlor VE5	Potassium hydroxide	1,5%
Aciplusfoam VF59	Nitric Acid	5%

Tested according to ISO 11998 and withstand the following chemicals or disinfectants.



#### **Mould and Bacterial Resistance**

Standard/Method			
ISO 846 A	0		
ISO 846 C	0		



#### **Clean Room**

Standard	Standard/Method	Class
ISO 14644	Particle cleanliness class	ISO 4
NF S 90-351	Microbiological class	M1/area 4
NF S 90-351	Particle elimination kinetics	CP(0,5) 5



# Accessibility

The tiles are demountable. Minimum demounting depth according to installation diagram. The tiles are secured using clips to allow for effective cleaning. The clips are easily removable from above the ceiling. An easy-to-open Connect Inspection hatch is available to simplify access to the ceiling void.



#### Installation

Installed according to installation diagrams, installation guides and drawing aid. Cut panels must be sealed with Connect Edge sealant. Penetrations must be sealed with a suitable sealant.



#### System weight

The weight of the system (including suspension grid) should be approximately 3-4 kg/m $^2$  for 20mm thickness and 5 kg/m $^2$  for 40mm thickness.




# **Mechanical properties**

See table about Max live load and Min load bearing capacity and Functional demands, Mechanical properties at www.ecophon.com.



# CE


Ecophon ceiling systems are CE marked according to the European harmonized standard EN13964:2014. CE marked construction products are covered by a Declaration of Performance (DOP) which enables customers and users to easily compare performance of products available on the European market.




# © Ecophon Group

#### QUANTITY SPECIFICATION (EXCL. WASTAGE)


		Size, mm			
		600×600	600×600	1200×600	1200×600
1	Hygiene Performance A	2,8/m²	2,8/m²	1,4/m²	1,4/m²
2	Connect T24 Main Runner C3, installed at 1200 mm centres	0,9m/m²	0,9m/m <sup>2</sup>	0,9m/m²	0,9m/m <sup>2</sup>
3	Connect T24 Cross Tee C3, L=1200 mm, installed at 600 mm centres	1,7m/m²	1,7m/m²	1,7m/m²	1,7m/m²
4	Connect T24 Cross Tee C3, L=600 mm	0,9m/m²	0,9m/m <sup>2</sup>	-	-
5	Connect Adjustable Hanger C3, c1200 (max distance from wall 600 mm)	0,7/m²	0,7/m²	0,7/m²	0,7/m²
6	Connect Hanger Clip (not to be used in swimming hall environments)	0,7/m²	0,7/m²	0,7/m²	0,7/m²
7	Connect Inspection Hatch C3	as required	as required	as required	as required
8	Connect Hygiene Clip 20	11/m²	11/m²	7/m²	7/m²
9	Connect Hygiene Clip 40	11/m²	11/m²	7/m²	7/m²
10	Connect Channel Trim C3, fixed c300 (for 20 mm thickness)	as required	as required	as required	as required
11	Connect Channel Trim C3, fixed c300 (for 40 mm thickness)	as required	as required	as required	as required
12	Connect Anchor Screw C4	0,7/m²	0,7/m²	0,7/m²	0,7/m²
13	Connect Fixing Plate C4	0,7/m²	0,7/m²	0,7/m²	0,7/m²
	$\Delta$ Min. overall depth of system: 150 mm		-		
	$\delta$ Min. demounting depth 20 mm: 150 mm		-		
	$\delta$ Min. demounting depth 40 mm: 170 mm				








Arrangement of clips



Clips for keeping tiles in position

Size, mm	Max live load (N)	Min load bearing capacity (N)
600x600	50	160
600x600	50	160
1200x600	50	160
1200x600	50	160


Live load/load bearing capacity




© Ecophon Group

# QUANTITY SPECIFICATION (EXCL. WASTAGE)


		Size, mm			
		600×600	600×600	1200×600	1200×600
1	Hygiene Performance A	2,8/m²	2,8/m²	1,4/m²	1,4/m²
2	Connect T24 Main Runner C4, c1200	0,9m/m²	0,9m/m²	0,9m/m²	0,9m/m²
3	Connect T24 Cross Tee C4, L=1200, c600	1,7m/m²	1,7m/m²	1,7m/m²	1,7m/m²
4	Connect T24 Cross Tee C4, L=600	0,9m/m²	0,9m/m²	-	-
5	Connect Adjustable Hanger C4, c1200, (max 600 mm distance from wall)	0,7/m²	0,7/m²	0,7/m²	0,7/m²
5	Connect Hygiene Clip 20	11/m²	11/m²	7/m²	7/m²
7	Connect Hygiene Clip 40 C4	11/m²	11/m²	7/m²	7/m²
3	Connect Channel Trim C4, fixed at c300 mm	as required	as required	as required	as required
7	Connect Demo Clip 20 C4, (where access is needed)	as required	as required	as required	as required
10	Connect Fixing Plate C4	0,7/m²	0,7/m²	0,7/m²	0,7/m²
11	Connect Anchor Screw C4	0,7/m²	0,7/m²	0,7/m²	0,7/m²
12	Connect Installation Screw C4	3,4/lm Channe	l trim C4		
	$\Delta$ Min. overall depth of system: 150 mm		-	-	-
	$\delta$ Min. demounting depth: 150 mm		-		-
	$\delta$ Min. demounting depth 40 mm: 170 mm	-	-	-	-







Arrangement of clips



Cutting of Connect Hygiene Clip 20 at the inspection tile


Size, mm	Max live load (N)	Min load bearing capacity (N)
600x600	50	160
600x600	50	160
1200x600	50	160
1200x600	50	160

Live load/load bearing capacity



# Ecophon Hygiene Performance™ Ds

Ecophon Hygiene Performance<sup>TM</sup> Ds is a suspended ceiling with a concealed grid, where individual tiles must be easily demountable. Suitable for swimming pool areas, it's compatible in areas with high humidity, corrosivity and occasional direct water.



#### **SYSTEM RANGE**



Size, mm	600x600	1200x600
T24	•	•
Thickness (THK)	20	20
Inst. Diagr.	M439C4	M439C4



Performance Ds tile



Section of Performance Ds system with Connect T24 Main Runner C4



m The individual tiles are easily

demountable




#### **Acoustic**

# **Sound Absorption:**

Test results according to EN ISO 354. Classification according to EN ISO 11654.

 $lpha_{\scriptscriptstyle D}$ , Practical sound absorption coefficient



Hygiene Performance Ds 20 mm, 200 mm o.d.s.

Frequency Hz

THK mm	o.d.s. mm	$lpha_{p'}$ Practical sound absorption coefficient	oefficient	nt $\alpha_{w}$		Sound absorption class			
	0.0.3. 111111	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz		Sound absorption class
20	200	0.55	0.85	0.90	0.85	1.00	1.00	0.90	А



# **Indoor Air Quality**

Certificate / Label	
Eurofins Indoor Air Comfort®	IAC
French VOC	А
Finnish M1	•









# **Environmental Footprint**

Kg CO  $_2$  equiv/m  $^2\!:$  4,5 From family EPD in conformity with ISO 14025 / EN 15804



# Circularity

Minimum post-consumer recycled content	54%
Recyclability	Fully recyclable



#### Fire safety

Country	Standard	Class
Europe	EN 13501-1	A2-s1,d0

The glass wool core of the tiles is tested and classified as non-combustible according to EN ISO 1182.



# **Humidity Resistance**

Class C, relative humidity 95% and 30°C, according to EN 13964:2014

# Visual appearance



White 500, nearest NCS colour sample S 0500-N, 84% light reflectance.



# Cleanability

Daily dusting and vacuum cleaning. Weekly wet wiping.



# **Advanced Cleanability**

Steam cleaning. Withstand use of hydrogen peroxide vapor.



# **Surface Endurance**

Product tested according to ISO 11998, and withstand 200 cycles.



#### **Mould and Bacterial Resistance**

Standard/Method	
ISO 846 A	0
ISO 846 C	0



# **Chemical resistance/Disinfection**

Chemical		Concentration
Actichlor plus	NaDCC (Sodium Dichloroisocyanurate)	1%
LifeClean	Chlorine dioxide	Undiluted
Etanol	ol Etanol	
Chlorine	Sodium Hypochlorite solution	2,5%
Virkon S	Dipotassium peroxodisulphate; Sulphamidic acid	1%
Isopropanol	Isopropyl Alcohol	70%
Oxivir Excel	Hydrogen peroxide	0,5%
Sumabac D10	Quaternary ammonium compound, Sodium carbonate	1%
Suredis VT1	n-(3-aminopropyl)-n- dodecylpropan-1,3-diamin	1%
Enduro Chlor VE5	Potassium hydroxide	1,5%
Aciplusfoam VF59	Nitric Acid	5%

Tested according to ISO 11998 and withstand the following chemicals or disinfectants.



#### **Clean Room**

Standard	Standard/Method	Class
ISO 14644	Particle cleanliness class	ISO 4
NF S 90-351	Microbiological class	M1/area 4
NF S 90-351	Particle elimination kinetics	CP(0,5) 5



#### Accessibility

The tiles are demountable.



#### Installation

Installed according to installation diagrams, installation guides and drawing aid. Cut panels must be sealed with Connect Edge sealant. Penetrations must be sealed with a suitable sealant.



# System weight

The weight of the system (including suspension grid) should be approximately  $3-4\ kg/m^2$ .




#### **Mechanical properties**

See table about Max live load and Min load bearing capacity and Functional demands, Mechanical properties at www.ecophon.com.




#### CE


Ecophon ceiling systems are CE marked according to the European harmonized standard EN13964:2014. CE marked construction products are covered by a Declaration of Performance (DOP) which enables customers and users to easily compare performance of products available on the European market.




		Size, mm		
		600×600	1200×600	
1	Hygiene Performance Ds	2,8/m²	1,4/m²	
2	Connect T24 Main Runner C4, installed at 600 mm centres	1,7m/m²	1,7m/m²	
3	Connect Wall Bracket C4 for T-profiles C4	1/suspended ro	w of Main runner	
4	Connect Space Bar C4, installed at 1,500 mm centres (max. distance from wall 300 mm) for winch	0,7m/m²	0,7m/m²	
5	Connect Wall Bracket C4, L=700 mm, for Connect Space Bar	1/row of Space	e bar	
6	Connect T24 Cross Tee C4, L=600 mm	2/row of Main	runner	
7	Connect Space Bar Winch C4, installed one per joint Connect Main Runner/Connect Space Bar	1,4/m²	1,4/m²	
8	C4 screw for wall brackets[included in products]		-	
9	Connect Adjustable Hanger C4, installed at 1200 mm centres [max. distance from wall 600 mm]	0,7/m²	0,7/m²	
10	Connect Support Clip Dg20 C4		1 pc/300-400 mm on every cut perimete tile with only 1 supporting edge	
11	Connect Angle Trim 15/22 C4, fixed at 300 mm centres	as required	as required	
12	Connect Fixing Plate C4	0,7/m²	0,7/m²	
13	Connect Anchor Screw C4	0,7/m²	0,7/m²	
14	Connect Installation Screw C4	3,4/lm Channel	trim C4	
	$\Delta$ Min. overall depth of system: 385 mm		-	
	$\delta$ Min. demounting depth: 30 mm		-	







Secured Connect Main Runner C4 at wall with Connect Wall Bracket C4



Connection between profiles and Connect Space Bar Winch C4

600x600	50	capacity (N) 160
1200x600	50	160

Live load/load bearing capacity



# Ecophon Hygiene Performance<sup>™</sup> Plus A

Ecophon Hygiene Performance™ Plus A has an exposed grid with fully sealed robust Hygiene Performance™ Plus A tiles and suitable for humid areas. The ceiling withstands advanced cleaning, such as steam and high/low pressure washing on a regular basis. The surface is resistant to common detergents and disinfectants.



#### **SYSTEM RANGE**



Size, mm	600x600	600x600	1200×600	1200×600
T24	•	•	•	•
Thickness (THK)	20	40	20	40
Inst. Diagr.	M466	M466	M466	M466



Hygiene Performance Plus A tile



Hygiene Performance Plus A C3 section with Connect Hygiene Clip 20



Hygiene Performance Plus A system




#### **Acoustic**

# **Sound Absorption:**

Test results according to EN ISO 354. Classification according to EN ISO 11654.

#### $lpha_{\scriptscriptstyle D}$ , Practical sound absorption coefficient



- Hygiene Performance Plus A 20 mm, 200 mm
- --- Hygiene Performance Plus A 40 mm, 200 mm

Frequency Hz

THK	o.d.s. mm	$lpha_{ m p'}$ Practical sound absorption coefficient						$\alpha_{\scriptscriptstyle{ ext{w}}}$	Sound absorption class
mm		125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	o. <sub>₩</sub>	Sound absorption class
20	200	0.55	0.80	0.85	0.90	1.00	0.95	0.90	А
40	200	0.55	0.80	0.85	0.95	1.00	0.95	0.95	А



#### **Indoor Air Quality**

Certificate / Label	
Eurofins Indoor Air Comfort®	IAC
French VOC	А
Finnish M1	•









#### **Environmental Footprint**

Kg CO  $_2$  equiv/m  $^2\!:$  4,2 From family EPD in conformity with ISO 14025 / EN 15804



# **Circularity**

Minimum post-consumer recycled content	44%
Recyclability	Fully recyclable



#### Fire safety

Country	Standard	Class
Europe	EN 13501-1	A2-s1,d0

The glass wool core of the tiles is tested and classified as non-combustible according to EN ISO 1182.



#### **Humidity Resistance**

Class C, relative humidity 95% and 30°C, according to EN 13964:2014



# Visual appearance

White 500, nearest NCS colour sample S 0500-N, 84% light reflectance.



#### Cleanability

Daily dusting and vacuum cleaning. Weekly wet wiping.



# **Advanced Cleanability**

High and low pressure cleaning with water and steam cleaning. Withstand use of hydrogen peroxide vapor.



#### **Surface Endurance**

Product tested according to ISO 11998, and withstand 200 cycles.



# **Chemical resistance/Disinfection**

Chemical				
Actichlor plus	NaDCC (Sodium Dichloroisocyanurate)	1%		
LifeClean	Chlorine dioxide	Undiluted		
Etanol	Etanol	70%		
Chlorine	Sodium Hypochlorite solution	2,5%		
Virkon S	Dipotassium peroxodisulphate; Sulphamidic acid	1%		
Isopropanol	Isopropyl Alcohol	70%		
Oxivir Excel	Hydrogen peroxide	0,5%		
Sumabac D10	compound Sodium			
Suredis VT1	n-(3-aminopropyl)-n- dodecylpropan-1,3-diamin	1%		
Enduro Chlor VE5	Potassium hydroxide	1,5%		
Aciplusfoam VF59	Nitric Acid	5%		

Tested according to ISO 11998 and withstand the following chemicals or disinfectants.



#### **Mould and Bacterial Resistance**

Standard/Method	
ISO 846 A	0
ISO 846 C	0



#### **Clean Room**

Standard	Standard/Method	Class
ISO 14644	Particle cleanliness class	ISO 4
NF S 90-351	Microbiological class	M1/area 4
NF S 90-351	Particle elimination kinetics	CP(0,5) 5



#### Accessibility

The tiles are demountable. Minimum demounting depth according to installation diagram. The tiles are secured using clips to allow for effective cleaning. The clips are easily removable from above the ceiling. An easy-to-open Connect Inspection hatch is available to simplify access to the ceiling void.



#### System weight

The weight of the system (including suspension grid) should be approximately  $3.5~{\rm kg/m^2}$  for 20mm thickness and  $5~{\rm kg/m^2}$  for 40mm thickness.




# **Mechanical properties**

See table about Max live load and Min load bearing capacity and Functional demands, Mechanical properties at www.ecophon.com.



#### CE


Ecophon ceiling systems are CE marked according to the European harmonized standard EN 13964:2014. CE marked construction products are covered by a Declaration of Performance (DOP) which enables customers and users to easily compare performance of products available on the European market.





© Ecophon Group

# QUANTITY SPECIFICATION (EXCL. WASTAGE)

		Size, mm	Size, mm		
		600×600	600×600	1200×600	1200×600
1	Hygiene Performance Plus A	2,8/m²	2,8/m²	1,4/m²	1,4/m²
2	Connect T24 Main Runner C3, installed at 1200 mm centres	0,9m/m²	0,9m/m²	0,9m/m²	0,9m/m²
3	Connect T24 Cross Tee C3, L=1200 mm, installed at 600 mm centres	1,7m/m²	1,7m/m²	1,7m/m²	1,7m/m²
4	Connect T24 Cross Tee C3, L=600 mm	0,9m/m²	0,9m/m²	-	-
5	Connect Adjustable Hanger C3, c1200 (max distance from wall 600 mm)	0,7/m²	0,7/m²	0,7/m²	0,7/m²
5	Connect Hanger Clip (not to be used in swimming hall environments)	0,7/m²	0,7/m²	0,7/m²	0,7/m²
7	Connect Inspection Hatch C3	as required	as required	as required	as required
3	Connect Hygiene Clip 20	11/m²	11/m²	7/m²	7/m²
7	Connect Hygiene Clip 40	11/m²	11/m²	7/m²	7/m²
10	Connect Channel Trim C3, fixed c300 (for 20 mm thickness)	as required	as required	as required	as required
11	Connect Channel Trim C3, fixed c300 (for 40 mm thickness)	as required	as required	as required	as required
12	Connect Anchor Screw C4	0,7/m²	0,7/m²	0,7/m²	0,7/m²
13	Connect Fixing Plate C4	0,7/m²	0,7/m²	0,7/m²	0,7/m²
	$\Delta$ Min. overall depth of system: 150 mm	-	-		-
	$\delta$ Min. demounting depth 20 mm: 150 mm	-	-		-
	$\delta$ Min. demounting depth 40 mm: 170 mm		-	-	







Clips for	keeping	tiles	in	position
-----------	---------	-------	----	----------

Size, mm	Max live load (N)	Min load bearing capacity (N)
600x600	50	160
600x600	50	160
1200x600	50	160
1200x600	50	160

Live load/load bearing capacity



# Ecophon Hygiene Performance™ Baffle

Ecophon Hygiene Performance™ Baffle is an easy to clean, sound absorbing system with vertical baffles suitable for humid areas. The baffles withstand advanced cleaning, such as steam and high/low pressure washing on a regular basis.




# **SYSTEM RANGE**



Size, mm	1200x600
T24	•
Thickness (THK)	50
Inst. Diagr.	M494C4, M492C3, M493C3







Hygiene Performance Baffle C4 installation




#### **Acoustic**

#### **Sound Absorption:**

Test results according to EN ISO 354:2003 NOTE: Results shown are not comparable with results according to older versions of this standard due to discrepancies in test method. Classification according to EN ISO 11654, and the single value ratings for Noise Reduction Coefficient, NRC and Sound Absorption Average, SAA according to ASTM C 423.

 $lpha_{
m p}$ , Practical sound absorption coefficient



- $\cdots$  Performance Baffle oriented in rows, c600 mm, with  $^{\sim}$  1,4 baffles/m2 ceiling area, 600 mm o.d.s.
- Performance Baffle oriented in rectangels, with  $^\sim$  1,3 baffles/m2 ceiling area, 600 mm o.d.s.

Frequency

	THK	o.d.s. mm		$lpha_{p'}$ Pra	ctical sound	d absorption	coefficient		$\alpha_{\scriptscriptstyle{W}}$	Sound absorption class
	mm	0.d.s. IIIIII	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz		Journal absorption class
in rows	50	600	0.45	0.40	0.75	0.90	0.90	0.85	0.70	С
in rectangles	50	600	0.70	0.45	0.80	0.90	0.90	0.85	0.75	С



# **Indoor Air Quality**

Certificate / Label	
Eurofins Indoor Air Comfort®	IAC
French VOC	А
Finnish M1	•









#### **Environmental Footprint**

Kg CO  $_2$  equiv/m $^2$ : 8,3 From family EPD in conformity with ISO 14025 / EN 15804



# **Circularity**

Minimum post-consumer recycled content	57%
Recyclability	Fully recyclable



#### Fire safety

Country	Standard	Class	The glass wool core of the tiles is tested and classified as
Europe	EN 13501-1	A2-s1,d0	non-combustible according to EN ISO 1182.



#### **Humidity Resistance**

Class C, relative humidity 95% and 30°C, according to EN 13964:2014



# Visual appearance

White 500, nearest NCS colour sample S 0500-N, 84% light reflectance.



#### Cleanability

Daily dusting and vacuum cleaning. Weekly wet wiping.



# **Advanced Cleanability**

Low pressure cleaning with water and steam cleaning. Products, once demounted, can be high pressure cleaned according to Ecophon high pressure cleaning protocol. Withstand use of hydrogen peroxide vapor.



#### **Surface Endurance**

Product tested according to ISO 11998, and withstand 200 cycles.



# **Chemical resistance/Disinfection**

Chemical	Active Substance	Concentration	
Actichlor plus	NaDCC (Sodium Dichloroisocyanurate)	1%	
LifeClean	Chlorine dioxide	Undiluted	
Etanol	Etanol	70%	
Chlorine	Sodium Hypochlorite solution	2,5%	
Virkon S	Dipotassium peroxodisulphate; Sulphamidic acid	1%	
Isopropanol	Isopropyl Alcohol	70%	
Oxivir Excel	Hydrogen peroxide	0,5%	
Sumabac D10	Quaternary ammonium compound, Sodium carbonate	1%	
Suredis VT1	n-(3-aminopropyl)-n- dodecylpropan-1,3-diamin	1%	
Enduro Chlor VE5 Potassium hydroxide		1,5%	
Aciplusfoam VF59	Nitric Acid	5%	

Tested according to ISO 11998 and withstand the following chemicals or disinfectants.



#### **Mould and Bacterial Resistance**

Standard/Method	
ISO 846 A	0
ISO 846 C	0



#### **Clean Room**

Standard	Standard/Method	Class
ISO 14644	Particle cleanliness class	ISO 4
NF S 90-351	Microbiological class	M1/area 4
NF S 90-351	Particle elimination kinetics	CP(0,5) 5



#### Accessibility

The tiles are demountable.



#### Installation

Installed according to installation diagrams, installation guides and drawing aid. Cut panels must be sealed with Connect Edge sealant.



# System weight

The weight of the system (including suspension grid) should be approximately  $5~{\rm kg/m^2}$ .




#### **Mechanical properties**

Please observe that vibrations, airflow and other types of mechanical impact can affect the mechanical properties of the fixings.



#### CE


Ecophon ceiling systems are CE marked according to the European harmonized standard EN13964:2014. CE marked construction products are covered by a Declaration of Performance (DOP) which enables customers and users to easily compare performance of products available on the European market.




© Ecophon Group

#### QUANTITY SPECIFICATION (EXCL. WASTAGE)


		Size, mm
		1200×600
1	Hygiene Performance Baffle	1,4/m²
2	Connect Adjustable Hanger C4 c1200	1,4/m²
	Connect T24 Main Runner C4, installed at 600 mm centres	1,7m/m²
	Connect T24 Cross Tee C4, L=600 mm, installed at 1800 mm centres	0,6m/m²
	Connect Baffle Clip C4	2,8/m²
	Connect Guiding Pin, installed at 1200/1800 mm centres	2,8/m²
	Connect Fixing Plate C4	1,4/m²
	Connect Anchor Screw C4	1,4/m²
_		




Installation in rows




Detail of suspension







QUANTITY SPECIFICATION (EXCL. WASTAGE)


		Size, mm
		1200×600
1	Hygiene Performance Baffle	1,4/m²
2	Connect T24 Main Runner C3, installed at 600 mm centres	1,7m/m²
	Connect T24 Cross Tee C3, L=600 mm, installed at 1800 mm centres	0,6m/m²
	Connect Adjustable Hanger C3 c1200	1,4/m²
	Connect Hanger Clip	1,4/m²
)	Connect Baffle Clip C3	2,8/m²








Suspension with Connect Adjustable Hanger and Connect Hanger Clip




QUANTITY SPECIFICATION (EXCL. WASTAGE)

© Ecophon Group

		Size, mm
		1200×600
1	Hygiene Performance Baffle	1,3/m²
2	Connect T24 Main Runner C3, installed at 1250 mm centres	0,8m/m <sup>2</sup>
3	Connect T24 Cross Tee C3, L=1250 mm, installed at 1300 mm centres	0,8m/m <sup>2</sup>
4	Connect Adjustable Hanger C3	0,7/m²
5	Connect Hanger Clip	0,7/m²
6	Connect Baffle Clip C3	2,5/m²



Detail of suspension



Suspension with Connect Adjustable Hanger and Connect Hanger Clip



# Ecophon Hygiene Performance™ Wall

Ecophon Hygiene Performance™ Wall is an easy to clean, sound absorbing wall panel system suitable for humid areas. The panels withstand advanced cleaning, such as steam and high/low pressure washing on a regular basis.



# **SYSTEM RANGE**



Size, mm	
	1200x600
Special	•
Thickness (THK)	40
Inst. Diagr.	M467









Hygiene Performance Wall C3 system

Connect Wall Fixing C3




#### **Acoustic**

# **Sound Absorption:**

Test results according to EN ISO 354. Classification according to EN ISO 11654.

 $lpha_{\scriptscriptstyle D}$ , Practical sound absorption coefficient



···· Hygiene Performance Wall, 80 mm o.d.s.

Frequency Hz

THK mm	o.d.s. mm	$lpha_{\sf p'}$ Practical sound absorption coefficient							Sound absorption class
	0.0.3. 111111	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	$\alpha^{\wedge\!\!\!\!/}$	Soulid absorption class
40	80	0.35	0.85	1.00	1.00	1.00	0.95	1.00	А



# **Indoor Air Quality**

Certificate / Label	
Eurofins Indoor Air Comfort®	IAC
French VOC	А
Finnish M1	•









# **Environmental Footprint**

Kg CO  $_2$  equiv/m  $^2\!\!:$  7,1 From family EPD in conformity with ISO 14025 / EN 15804



# **Circularity**

Minimum post-consumer recycled content	54%
Recyclability	Fully recyclable



# Fire safety

Country	Standard	Class	The glass wool core of the tiles is tested and classified as non-combustible according to EN ISO 1182.
Europe	EN 13501-1	A2-s1,d0	non-combustible according to LTV 150-1162.



# **Humidity Resistance**

Class C, relative humidity 95% and 30°C, according to EN 13964:2014



# Visual appearance

White 500, nearest NCS colour sample S 0500-N, 84% light reflectance.



# Cleanability

Daily dusting and vacuum cleaning. Weekly wet wiping.



#### **Advanced Cleanability**

High and low pressure cleaning with water and steam cleaning. Withstand use of hydrogen peroxide vapor.



#### **Surface Endurance**

Product tested according to ISO 11998, and withstand 200 cycles.



# **Chemical resistance/Disinfection**

Chemical		Concentration
Actichlor plus	NaDCC (Sodium Dichloroisocyanurate)	1%
LifeClean	Chlorine dioxide	Undiluted
Etanol	Etanol	70%
Chlorine	Sodium Hypochlorite solution	2,5%
Virkon S	Dipotassium peroxodisulphate; Sulphamidic acid	1%
Isopropanol	Isopropyl Alcohol	70%
Oxivir Excel	Hydrogen peroxide	0,5%
Sumabac D10	Quaternary ammonium compound, Sodium carbonate	1%
Suredis VT1	n-(3-aminopropyl)-n- dodecylpropan-1,3-diamin	1%
Enduro Chlor VE5	Potassium hydroxide	1,5%
Aciplusfoam VF59	Nitric Acid	5%

Tested according to ISO 11998 and withstand the following chemicals or disinfectants.



# **Mould and Bacterial Resistance**

Standard/Method	
ISO 846 A	0
ISO 846 C	0



#### **Clean Room**

Standard	Standard/Method	Class
ISO 14644	Particle cleanliness class	ISO 4
NF S 90-351	Microbiological class	M1/area 4
NF S 90-351	Particle elimination kinetics	CP(0,5) 5



# Accessibility

The tiles are demountable.



# Installation

Installed according to installation diagrams, installation guides and drawing aid. For information regarding minimum overall depth of system see quantity specification.




# System weight

The weight of the system (including profile system) should be approximately 3 kg/pcs.



#### **Mechanical properties**


See table about Max live load and Min load bearing capacity and Functional demands, Mechanical properties at www.ecophon.com.




© Ecophon Group

# QUANTITY SPECIFICATION (EXCL. WASTAGE)


		Size, mm
		1200×600
1	Hygiene Performance Wall	1,4/m²
2	Connect Wall Fixing C3, vertical installation	2/panel
3	Connect Wall Fixing C3, horisontal installation	4/panel
4	Wall screw, A2 material (not supplied by Ecophon)	2/wall fixing
	$\Delta$ Min. overall depth of system: 90 mm	



See Quantity Specification



Installation with wall screw in stainless steel (A2) material




— Horisontal installation of Performance Wall C3



# Ecophon Hygiene Performance<sup>™</sup> Care Wall

Ecophon Hygiene Performance<sup>TM</sup> Care Wall is an easy to clean, sound absorbing wall panel system for healthcare applications or other areas with elevated hygiene standards. The surface is resistant to common detergents and disinfectants. The panels withstand steam cleaning.



# **SYSTEM RANGE**

04	Size, mm	2700x1200
	Thinline	•
	Thickness (THK)	40
	Inst. Diagr.	M525



Hygiene Performance Care Wall

Hygiene Performance Care Wall system with Connect Thinline profiles




#### **Acoustic**

# **Sound Absorption:**

Test results according to EN ISO 354. Classification according to EN ISO 11654.

 $lpha_{\scriptscriptstyle D}$ , Practical sound absorption coefficient



- Hygiene Performance Care Wall 40 mm, 50 mm o.d.s.

Frequency Hz

THK	o.d.s. mm		α <sub>p</sub> , Pr	actical sound	d absorption c	oefficient		α,,,	Sound absorption class
mm		125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	o.w	Sound absorption class
40	50	0.20	0.75	1.00	1.00	1.00	1.00	1.00	A



# **Indoor Air Quality**

Certificate / Label	
Eurofins Indoor Air Comfort®	IAC
French VOC	А
Finnish M1	•









# Circularity

Minimum post-consumer recycled content	58%
Recyclability	Fully recyclable



# Fire safety

	Standard	Class
Europe	EN 13501-1	A2-s1,d0

The glass wool core of the tiles is tested and classified as non-combustible according to EN ISO 1182.



# **Humidity Resistance**

Class C, relative humidity 95% and 30°C, according to EN 13964:2014



#### Visual appearance

White 500, nearest NCS colour sample S 0500-N, 84% light reflectance.



# Cleanability

Daily dusting and vacuum cleaning. Weekly wet wiping.



# **Advanced Cleanability**

Steam cleaning. Withstand use of hydrogen peroxide vapor.



#### **Surface Endurance**

Product tested according to ISO 11998, and withstand 200 cycles.



# **Chemical resistance/Disinfection**

Chemical	Active Substance	Concentration
Actichlor plus	NaDCC (Sodium Dichloroisocyanurate)	1%
LifeClean	Chlorine dioxide	Undiluted
Etanol	Etanol	70%
Chlorine	Sodium Hypochlorite solution	2,5%
Virkon S	Dipotassium peroxodisulphate; Sulphamidic acid	1%
Isopropanol	Isopropyl Alcohol	70%
Oxivir Excel	Hydrogen peroxide	0,5%
Sumabac D10	Quaternary ammonium compound, Sodium carbonate	1%
Suredis VT1	n-(3-aminopropyl)-n- dodecylpropan-1,3-diamin	1%
Enduro Chlor VE5	Potassium hydroxide	1,5%
Aciplusfoam VF59	Nitric Acid	5%

Tested according to ISO 11998 and withstand the following chemicals or disinfectants.



#### **Mould and Bacterial Resistance**

Standard/Method	
ISO 846 A	0
ISO 846 C	0



#### **Clean Room**

Standard	Standard/Method	Class
ISO 14644	Particle cleanliness class	ISO 4
NF S 90-351	Microbiological class	M1/area 4
NF S 90-351	Particle elimination kinetics	CP(0,5) 5



#### Accessibility

The tiles are not demountable except in selected installation diagrams. See quantity specification for more information.



#### Installation

Installed according to installation diagrams, installation guides and drawing aid. For information regarding minimum overall depth of system see quantity specification.




#### **Mechanical properties**

See table about Max live load and Min load bearing capacity and Functional demands, Mechanical properties at www.ecophon.com.




#### CE

Ecophon ceiling systems are CE marked according to the European harmonized standard EN 13964:2014. CE marked construction products are covered by a Declaration of Performance (DOP) which enables customers and users to easily compare performance of products available on the European market.




# QUANTITY SPECIFICATION (EXCL. WASTAGE)

		Size, mm
		2700×1200
1	Hygiene Performance Care Wall	0,31/m²
)	Connect Thinline Profile, L=2644 mm	as required
	Connect Thinline Corner	as required
	Connect Thinline Locking Clip	as required
	Installation screw, installed at 200 mm centres (select fastener according to wall material)	as required
	Connect Thinline Space Bar	as required
	Δ Overall depth of system: 45 mm	








Detail of panel with Thinline system

# Ecophon Hygiene Advance™

A

Ecophon Hygiene Advance<sup>TM</sup> A is a sound-absorbing ceiling with an exposed grid that sustains daily advanced cleaning and disinfection with strong chemicals. Suitable for the most demanding conditions. Available with corrosion class C3 grids for humid areas and C4 grids for constantly wet areas.



#### **SYSTEM RANGE**



Size, mm	600x600	600x600	1200x600	1200x600
T24	•	•	•	•
Thickness (THK)	20	40	20	40
Inst. Diagr.	M246C4, M252C3	M246C4, M252C3	M246C4, M252C3	M246C4, M252C3







Hygiene Advance A C4 section with Connect Hygiene clip 20



Hygiene Advance A C4 system




#### Acoustic

Hygiene Advance Technical tile has no performance determined (n.p.d.) for sound absorption.

# **Sound Absorption:**

Test results according to EN ISO 354. Classification according to EN ISO 11654, and the single value ratings for Noise Reduction Coefficient, NRC and Sound Absorption Average, SAA according to ASTM C 423.

#### $lpha_{\scriptscriptstyle D}$ , Practical sound absorption coefficient



Frequency Hz

- Hygiene Advance A 20 mm, 200 mm o.d.s.
- --- Hygiene Advance A 40 mm, 200 mm o.d.s.

THK	o.d.s. mm	$lpha_{ m p}$ , Practical sound absorption coefficient			αω	Sound absorption class			
mm	O.d.s. IIIIII	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	₩.	Sound absorption class
20	200	0.40	0.70	0.75	0.85	0.95	0.75	0.85	В
40	200	0.45	0.75	0.90	0.95	0.95	0.70	0.90	А

THK mm	o.d.s. mm	NRC	SAA
20	200	0.80	0.76
20	400	0.80	0. <i>7</i> 9
40	200	0.75	0.76
40	400	0.75	0.76



# **Indoor Air Quality**

Certificate / Label	
Eurofins Indoor Air Comfort®	IAC Gold
French VOC	A+
Finnish M 1	•









# **Circularity**

Minimum post-consumer recycled content	59%
Recyclability	Fully recyclable



#### Fire safety

	Standard	Class
Europe	EN 13501-1	A2-s1,d0

The glass wool core of the tiles is tested and classified as non-combustible according to EN ISO 1182.



# **Humidity Resistance**

Class C, relative humidity 95% and 30°C, according to EN 13964:2014



# Visual appearance

White 141, nearest NCS colour sample S 1000-N, 73% light reflectance. Please note: There is a small difference in gloss and appearance between the Hygiene Advance tile and the Hygiene Advance technical tile.



# Cleanability

Daily dusting, vacuum cleaning and wet wiping.



#### **Advanced Cleanability**

High and low pressure cleaning with water and steam cleaning. Withstand use of hydrogen peroxide vapor.



# **Chemical resistance/Disinfection**

Chemical	Concentration
Formalin	37%
Ammoniac	25%
Hydrogen peroxide	30%
Sulfuric acid	5%
Phosphoric acid	30%
Peracetic acid	15%
Hydrochloric acid	5%
Isopropanol	100%
Sodium hydroxide	5%
Sodium hypochlorite	5%

Tested according to ISO 2812-1 and classified according to ISO 4628-1 with excellent result for the following chemicals.



#### **Mould and Bacterial Resistance**

Standard/Method	
ISO 846 A	1
ISO 846 C	0



#### **Clean Room**

Standard		
ISO 14644	Particle cleanliness class	ISO 3
NF S 90-351	Microbiological class	M1/area 4
NF S 90-351	Particle elimination kinetics	CP(0,5) 1



# **Air permeability**

When mounted according to installation diagram M252: Hygiene Advance A: 20 mm: 1,1 m $^3$ /(h x m $^2$  x Pa) Hygiene Advance A: 40 mm: 0,3 m $^3$ /(h x m $^2$  x Pa)



# Accessibility

The tiles are demountable. Minimum demounting depth according to installation diagram. The tiles are secured using Connect Hygiene Clip to allow for effective cleaning. The clips are easily removable from above the ceiling. Connect Democlips 20 C4 are available to simplify access to the ceiling void.



#### Installation

Installed according to installation diagrams, installation guides and drawing aid. Cut tiles must be sealed with Connect Hygiene Advance Tape. Penetrations must be sealed with a suitable sealant.



#### System weight

The weight of the system (including suspension grid) should be approximately  $3 \text{ kg/m}^2$  for 20 mm thickness and  $4.5 \text{ kg/m}^2$  for 40 mm thickness.




# **Mechanical properties**

See table about Max live load and Min load bearing capacity and Functional demands, Mechanical properties at www.ecophon.com.




#### CE

Ecophon ceiling systems are CE marked according to the European harmonized standard EN13964:2014. CE marked construction products are covered by a Declaration of Performance (DOP) which enables customers and users to easily compare performance of products available on the European market.




# © Ecophon Group


		Size, mm	Size, mm		
		600×600	600×600	1200×600	1200×600
1	Hygiene Advance A	2,8/m²	2,8/m²	1,4/m²	1,4/m²
2	Connect T24 Main Runner C4, c1200	0,9m/m²	0,9m/m <sup>2</sup>	0,9m/m²	0,9m/m²
3	Connect T24 Cross Tee C4, L=1200, c600	1,7m/m²	1,7m/m²	1,7m/m²	1,7m/m²
4	Connect T24 Cross Tee C4, L=600	0,9m/m²	0,9m/m²	-	-
5	Connect Adjustable Hanger C4, c1200, (max 600 mm distance from wall)	0,7/m²	0,7/m²	0,7/m²	0,7/m²
5	Connect Hygiene Clip 20	11/m²	11/m²	7/m²	7/m²
7	Connect Hygiene Clip 40 C4	11/m²	11/m²	7/m²	7/m²
3	Connect Channel Trim C4, fixed at c300 mm	as required	as required	as required	as required
7	Connect Fixing Plate C4	0,7/m²	0,7/m²	0,7/m²	0,7/m²
10	Connect Anchor Screw C4	0,7/m²	0,7/m²	0,7/m²	0,7/m²
11	Connect Installation Screw C4	3,4/lm Channe	trim C4		
12	Hygiene Advance Technical Tile	as required	as required	as required	as required
13	Joint sealant (not supplied by Ecophon)	as required	as required	as required	as required
14	Connect Hygiene Advance Tape	as required	as required	as required	as required
15	Connect Demo Clip 20 C4, (where access is needed)	as required	as required	as required	as required
	$\Delta$ Min. overall depth of system: 150 mm		-	-	-
	δ Min. demounting depth: 150 mm		-	-	








Arrangement of clips



Clips for keeping tiles in place

Size, mm	Max live load (N)	Min load bearing capacity (N)
600x600	40	160
600x600	40	160
1200x600	40	160
1200x600	40	160


Live load/load bearing capacity





© Ecophon Group

## QUANTITY SPECIFICATION (EXCL. WASTAGE)

		Size, mm			
		600×600	600×600	1200×600	1200×600
1	Hygiene Advance A	2,8/m²	2,8/m²	1,4/m²	1,4/m²
2	Connect T24 Main Runner C3, installed at 1200 mm centres	0,9m/m²	0,9m/m²	0,9m/m²	0,9m/m²
3	Connect T24 Cross Tee C3, L=1200 mm, installed at 600 mm centres	1,7m/m²	1,7m/m²	1,7m/m²	1,7m/m²
4	Connect T24 Cross Tee C3, L=600 mm	0,9m/m²	0,9m/m²	-	-
5	Connect Adjustable Hanger C3, c1200 (max distance from wall 600 mm)	0,7/m²	0,7/m²	0,7/m²	0,7/m²
6	Connect Hanger Clip (not to be used in swimming hall environments)	0,7/m²	0,7/m²	0,7/m²	0,7/m²
7	Connect Inspection Hatch C3	as required	as required	as required	as required
8	Connect Hygiene Clip 20	11/m²	11/m²	7/m²	7/m²
9	Connect Hygiene Clip 40	11/m²	11/m²	$7/\mathrm{m}^2$	7/m²
10	Connect Channel Trim C3, fixed c300 (for 20 mm thickness)	as required	as required	as required	as required
11	Connect Channel Trim C3, fixed c300 (for 40 mm thickness)	as required	as required	as required	as required
12	Connect Hygiene Advance Tape	as required	as required	as required	as required
13	Joint sealant (not supplied by Ecophon)	as required	as required	as required	as required
14	Hygiene Advance Technical Tile	as required	as required	as required	as required
15	Connect Anchor Screw C4	0,7/m²	0,7/m²	0,7/m²	0,7/m²
16	Connect Fixing Plate C4	0,7/m²	0,7/m²	0,7/m²	0,7/m²
	$\Delta$ Min. overall depth of system: 150 mm	-	-		-
	$\delta$ Min. demounting depth 20 mm: 150 mm	-	-	-	-
	δ Min. demounting depth 40 mm: 170 mm		-	-	







Size, mm	Max live load (N)	Min load bearing capacity (N)
600x600	40	160
600x600	40	160
1200x600	40	160
1200x600	40	160

See Quantity Specification

Arrangement of clips

Clips for keeping tiles in place

Live load/load bearing capacity

# Ecophon Hygiene Advance™ Baffle


Ecophon Hygiene Advance™ Baffle is a vertical baffle that withstands daily advanced cleaning and disinfection with strong chemicals. Suitable for the most demanding conditions, including airborne grease and dirt particles.




## **SYSTEM RANGE**



Size, mm	1200x600
T24	•
Thickness (THK)	40
Inst. Diagr.	M259, M260









Hygiene Advance Baffle C3 with Connect Baffle clip

Hygiene Advance Baffle




#### **Acoustic**

# **Sound Absorption:**

Test results according to EN ISO 354:2003 NOTE: Results shown are not comparable with results according to older versions of this standard due to discrepancies in test method. Classification according to EN ISO 11654, and the single value ratings for Noise Reduction Coefficient, NRC and Sound Absorption Average, SAA according to ASTM C 423.

 $lpha_{\scriptscriptstyle D}$ , Practical sound absorption coefficient



- $\cdots$  Advance Baffle in rows, c600 mm, with  $^{\sim}$  1,4 baffles/m2 ceiling area, 600 mm o.d.s.
- Advance Baffle in rectangles, with  $^{\sim}$  1,3 baffles/m2 ceiling area, 600 mm o.d.s.

Frequency Hz

	THK adam	o.d.s. mm	$lpha_{ m p'}$ Practical sound absorption coefficient						a	Sound absorption class
	mm	O.d.s. 111111	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz 4000 H	4000 Hz	$\alpha^{\wedge}$	Sound absorption class
in rows	40	600	0.25	0.30	0.55	0.85	0.85	0.70	0.55	D
in rectangles	40	600	0.35	0.35	0.60	0.80	0.85	0. <i>7</i> 5	0.60	С

THK mm	o.d.s. mm	NRC	SAA
40	600	1.00	1.00
40	600	1.00	1.00



# **Indoor Air Quality**

Certificate / Label	
Eurofins Indoor Air Comfort®	IAC Gold
French VOC	A+
Finnish M1	









#### **Circularity**

Minimum post-consumer recycled content	64%
Recyclability	Fully recyclable



#### Fire safety

Country	Standard	Class	The glass wool core of the tiles is tested and classified as non-combustible according to EN ISO 1182.
Europe	EN 13501-1	A2-s1,d0	non-combustible according to LTV 130-1162.



## **Humidity Resistance**

Class C, relative humidity 95% and 30°C, according to EN 13964:2014



# Visual appearance

White 141, nearest NCS colour sample S 1000-N, 73% light reflectance.



#### Cleanability

Daily dusting, vacuum cleaning and wet wiping.



# **Advanced Cleanability**

Low pressure cleaning with water and steam cleaning. Products, once demounted, can be high pressure cleaned according to Ecophon high pressure cleaning protocol. Withstand use of hydrogen peroxide vapor.



## **Chemical resistance/Disinfection**

Chemical	Concentration
Formalin	37%
Ammoniac	25%
Hydrogen peroxide	30%
Sulfuric acid	5%
Phosphoric acid	30%
Peracetic acid	15%
Hydrochloric acid	5%
Isopropanol	100%
Sodium hydroxide	5%
Sodium hypochlorite	5%

Tested according to ISO 2812-1 and classified according to ISO 4628-1 with excellent result for the following chemicals.



## **Mould and Bacterial Resistance**

Standard/Method	
ISO 846 A	1
ISO 846 C	0



#### Clean Room

Standard		
ISO 14644	Particle cleanliness class	ISO 3
NF S 90-351	Microbiological class	M1/area 4
NF S 90-351	Particle elimination kinetics	CP(0,5) 1



# Accessibility

The tiles are demountable.



#### Installation

Installed according to installation diagrams, installation guides and drawing aid. Cut tiles must be sealed with Connect Hygiene Advance Tape. Penetrations must be sealed with a suitable sealant.



# System weight

The weight of the system (including suspension grid) should be approximately  $4 \text{ kg/m}^2$ .




## **Mechanical properties**

See table about Max live load and Min load bearing capacity and Functional demands, Mechanical properties at www.ecophon.com.




## CE

Ecophon ceiling systems are CE marked according to the European harmonized standard EN 13964:2014. CE marked construction products are covered by a Declaration of Performance (DOP) which enables customers and users to easily compare performance of products available on the European market.




# © Ecophon Group


	Size, mm
	1200×600
Hygiene Advance Baffle	1,4/m²
Connect T24 Main Runner C3, installed at 600 mm centres	1,7m/m²
Connect T24 Cross Tee C3, L=600 mm, installed at 1800 mm centres	O,6m/m²
Connect Adjustable Hanger C3 c1200	1,4/m²
Connect Hanger Clip	1,4/m²
Connect Baffle Clip C3	2,8/m²




Installation in rows



Detail of suspension





Suspension with Connect Adjustable Hanger and Connect Hanger Clip




# © Ecophon Group

	Size, mm
	1200×600
Hygiene Advance Baffle	1,3/m²
Connect T24 Main Runner C3, installed at 1250 mm centres	O,8m/m²
Connect T24 Cross Tee C3, L=1250 mm, installed at 1300 mm centres	O,8m/m²
Connect Adjustable Hanger C3	0,7/m²
Connect Hanger Clip	0,7/m²
Connect Baffle Clip C3	2,5/m²







Suspension with Connect Adjustable Hanger and Connect Hanger Clip

# Ecophon Hygiene Advance™ Wall

Ecophon Hygiene Advance<sup>TM</sup> Wall is a wall panel that withstands daily advanced cleaning and disinfection with strong chemicals. Suitable for the most demanding conditions, including airborne grease and dirt particles.



#### **SYSTEM RANGE**



Size, mm	
	1200x600
Special	•
Thickness (THK)	40
Inst. Diagr.	M258









Hygiene Advance Wall C3 system

Connect Wall Fixing C3




#### **Acoustic**

# **Sound Absorption:**

Test results according to EN ISO 354. Classification according to EN ISO 11654.

 $\alpha_{\text{p}}$ , Practical sound absorption coefficient



···· Hygiene Advance Wall, 80 mm o.d.s.

Frequency Hz

THK	o.d.s. mm		$lpha_{p'}$ Pr	ractical sound	d absorption c	oefficient		α,,,	Sound absorption class
mm	mm O.d.s. IIIIII	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	o.w	Sound absorption class
40	80	0.25	0.75	0.90	0.95	0.90	0.65	0.85	В



# **Indoor Air Quality**

Certificate / Label	
Eurofins Indoor Air Comfort®	IAC Gold
French VOC	Α+
Finnish M1	•









# **Circularity**

Minimum post-consumer recycled content	64%
Recyclability	Fully recyclable



# Fire safety

	Standard	Class	The glass wool core of the tiles is tested and class
Europe	EN 13501-1	A2-s1,d0	non-combustible according to EN ISO 1182.



# **Humidity Resistance**

Class C, relative humidity 95% and 30°C, according to EN 13964:2014



# Visual appearance

White 141, nearest NCS colour sample S 1000-N, 73% light reflectance.



#### Cleanability

Daily dusting, vacuum cleaning and wet wiping.



# **Advanced Cleanability**

High and low pressure cleaning with water and steam cleaning. Withstand use of hydrogen peroxide vapor.



#### **Chemical resistance/Disinfection**

Chemical	Concentration
Formalin	37%
Ammoniac	25%
Hydrogen peroxide	30%
Sulfuric acid	5%
Phosphoric acid	30%
Peracetic acid	15%
Hydrochloric acid	5%
Isopropanol	100%
Sodium hydroxide	5%
Sodium hypochlorite	5%

Tested according to ISO 2812-1 and classified according to ISO 4628-1 with excellent result for the following chemicals.



## **Mould and Bacterial Resistance**

Standard/Method		
ISO 846 A	1	
ISO 846 C	0	



## **Clean Room**

Standard		Class
ISO 14644	Particle cleanliness class	ISO 3
NF S 90-351	Microbiological class	M1/area 4
NF S 90-351	Particle elimination kinetics	CP(0,5) 1



# Accessibility

The tiles are demountable.



#### Installation

Installed according to installation diagrams, installation guides and drawing aid. For information regarding minimum overall depth of system see quantity specification.



# System weight

The weight of the system (including profile system) should be approximately 3 kg/pcs.




# **Mechanical properties**

See table about Max live load and Min load bearing capacity and Functional demands, Mechanical properties at www.ecophon.com.




# CE

Ecophon ceiling systems are CE marked according to the European harmonized standard EN 13964:2014. CE marked construction products are covered by a Declaration of Performance (DOP) which enables customers and users to easily compare performance of products available on the European market.




© Ecophon Group


		Size, mm
		1200×600
1	Hygiene Advance Wall	1,4/m²
2	Connect Wall Fixing C3, vertical installation	2/panel
3	Connect Wall Fixing C3, horisontal installation	4/panel
4	Wall screw, A2 material (not supplied by Ecophon)	2/wall fixing
	$\Delta$ Min. overall depth of system: 90 mm	



See Quantity Specification



Installation with wall screw in stainless steel (A2) material



Horisontal installation of Advance Wall C3